


EMC shield clamps for 10 × 3 mm bus bar, pluggable

with or without integrated strain relief



EMC shield clamps are used, where the shield of cables must be connected to the earth potential. They are easy to use and effective in earthing single cable shields.

When using types with integrated strain relief cables can be fixed via the cable jacket using cable ties. Thus strain relief in accordance with EN 62444 is achieved. We also offer EMC shield clamps with double strain relief function acc. to PROFINET installation guidelines.

Due to its special design the clamping ranges of the MSKL are very large while the dimensions are comparatively small. (Example: MSKL 3-12, assembled with a 12 mm cable shield: width 26.25 mm).

The very slim shape of the PFS|SCL is perfect for applications with limited space.

The shield clamps are mounted by snapping them onto a 10 × 3 mm bus bar.

Made in Germany

REACH COMPLIANCE

RoHS compliant

EMV EMC CEM

EN 61373

Specifications

Material	Shield clamp: Spring steel, zinc plated Snap foot: Spring steel Shield bracket: Mild steel, galvanically zinc plated
Properties	vibration proof
Mounting options	Snap-in

Advantages & benefits

- Partially with integrated strain relief
- Large contact area
- Shield contact and strain relief separated
- Quick assembly without tools
- The spring design requires no adjustments and will permanently maintain contact to the cable shield
- Designed for high density applications
- Shock and vibration resistant, maintenance free
- Integrated double strain relief function acc. to PROFINET installation guidelines

Product types & sizes

PFS|SKL 1.5-3



Part No.	36786.1
EAN	4251269304309
PU	10
No. of shield clamps	1
For max. no. of cables	1
Min. shield diam.	1.5 mm
Max. shield diam.	3 mm


Length	28.5 mm
Width	12 mm
Height	20.4 mm
Mounting height	12.9 mm


PFS|SKL 3-6





Part No.	36786.2
EAN	4251269304316
PU	10
No. of shield clamps	1
For max. no. of cables	1
Min. shield diam.	3 mm
Max. shield diam.	6 mm


Length	28.5 mm
Width	12 mm
Height	21 mm
Mounting height	13.5 mm


PFS SKL 6-8 	Part No.	36786.3	Length	28.5 mm
	EAN	4251269304323	Width	12 mm
	PU	10	Height	22.5 mm
	No. of shield clamps	1	Mounting height	15 mm
	For max. no. of cables	1		
	Min. shield diam.	6 mm		
	Max. shield diam.	8 mm		

PFS SKL 8-11 	Part No.	36786.4	Length	28.5 mm
	EAN	4251269304330	Width	12 mm
	PU	10	Height	27.5 mm
	No. of shield clamps	1	Mounting height	20 mm
	For max. no. of cables	1		
	Min. shield diam.	8 mm		
	Max. shield diam.	11 mm		

PFS SKL 11-17 	Part No.	36786.5	Length	28.5 mm
	EAN	4251269304347	Width	21 mm
	PU	10	Height	34.2 mm
	No. of shield clamps	1	Mounting height	26.7 mm
	For max. no. of cables	1		
	Min. shield diam.	11 mm		
	Max. shield diam.	17 mm		

PFS SKL 17-22 	Part No.	36786.6	Length	28.5 mm
	EAN	4251269304354	Width	26 mm
	PU	10	Height	41.7 mm
	No. of shield clamps	1	Mounting height	34.2 mm
	For max. no. of cables	1		
	Min. shield diam.	17 mm		
	Max. shield diam.	22 mm		

PFS SCL 1.5-3 	Part No.	36611	Length	18.9 mm
	EAN	4251269319037	Width	10 mm
	PU	10	Height	21.2 mm
	No. of shield clamps	1		
	For max. no. of cables	1		
	Min. shield diam.	1.5 mm		
	Max. shield diam.	3 mm		

PFS SCL 3-6 	Part No.	36612	Length	18.9 mm
	EAN	4251269319044	Width	10 mm
	PU	10	Height	21.2 mm
	No. of shield clamps	1		
	For max. no. of cables	1		
	Min. shield diam.	3 mm		
	Max. shield diam.	6 mm		

PFS2|SKL 01

Part No.	36788.01	Length	32.5 mm
EAN	4251269304408	Width	18 mm
PU	10	Height	20.4 mm
No. of shield clamps	1	Mounting height	12.9 mm
For max. no. of cables	1		
Min. shield diam. pos. 2	1.5 mm		
Max. shield diam. pos. 2	3 mm		

PFS2|SKL 02

Part No.	36788.02	Length	32.5 mm
EAN	4251269304415	Width	18 mm
PU	10	Height	21 mm
No. of shield clamps	1	Mounting height	13.5 mm
For max. no. of cables	1		
Min. shield diam. pos. 2	3 mm		
Max. shield diam. pos. 2	6 mm		

PFS2|SKL 03

Part No.	36788.03	Length	32.5 mm
EAN	4251269304422	Width	18 mm
PU	10	Height	22.5 mm
No. of shield clamps	1	Mounting height	15 mm
For max. no. of cables	1		
Min. shield diam. pos. 2	6 mm		
Max. shield diam. pos. 2	8 mm		

PFS2|SKL 04

Part No.	36788.04	Length	32.5 mm
EAN	4251269304439	Width	18 mm
PU	10	Height	27.5 mm
No. of shield clamps	1	Mounting height	20 mm
For max. no. of cables	1		
Min. shield diam. pos. 2	8 mm		
Max. shield diam. pos. 2	11 mm		

PFS2|SKL 10

Part No.	36788.10	Length	32.5 mm
EAN	4251269304446	Width	18 mm
PU	10	Height	20.4 mm
No. of shield clamps	1	Mounting height	12.9 mm
For max. no. of cables	1		
Min. shield diam. pos. 1	1.5 mm		
Max. shield diam. pos. 1	3 mm		

PFS2|SKL 11

Part No.	36788.11	Min. shield diam. pos. 2	1.5 mm
EAN	4251269304453	Max. shield diam. pos. 2	3 mm
PU	10	Length	32.5 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	20.4 mm
Min. shield diam. pos. 1	1.5 mm	Mounting height	12.9 mm
Max. shield diam. pos. 1	3 mm		

PFS2|SKL 12



Part No.	36788.12	Min. shield diam. pos. 2	3 mm
EAN	4251269304460	Max. shield diam. pos. 2	6 mm
PU	10	Length	32.5 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	21 mm
Min. shield diam. pos. 1	1.5 mm	Mounting height	13.5 mm
Max. shield diam. pos. 1	3 mm		

PFS2|SKL 13



Part No.	36788.13	Min. shield diam. pos. 2	6 mm
EAN	4251269304477	Max. shield diam. pos. 2	8 mm
PU	10	Length	32.5 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	22.5 mm
Min. shield diam. pos. 1	1.5 mm	Mounting height	15 mm
Max. shield diam. pos. 1	3 mm		

PFS2|SKL 14



Part No.	36788.14	Min. shield diam. pos. 2	8 mm
EAN	4251269304484	Max. shield diam. pos. 2	11 mm
PU	10	Length	32.5 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	27.5 mm
Min. shield diam. pos. 1	1.5 mm	Mounting height	20 mm
Max. shield diam. pos. 1	3 mm		

PFS2|SKL 20



Part No.	36788.20	Length	32.5 mm
EAN	4251269304491	Width	18 mm
PU	10	Height	21 mm
No. of shield clamps	1	Mounting height	13.5 mm
For max. no. of cables	1		
Min. shield diam. pos. 1	3 mm		
Max. shield diam. pos. 1	6 mm		

PFS2|SKL 21



Part No.	36788.21	Min. shield diam. pos. 2	1.5 mm
EAN	4251269304507	Max. shield diam. pos. 2	3 mm
PU	10	Length	32.5 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	21 mm
Min. shield diam. pos. 1	3 mm	Mounting height	13.5 mm
Max. shield diam. pos. 1	6 mm		

PFS2|SKL 22



Part No.	36788.22	Min. shield diam. pos. 2	3 mm
EAN	4251269304514	Max. shield diam. pos. 2	6 mm
PU	10	Length	32.5 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	21 mm
Min. shield diam. pos. 1	3 mm	Mounting height	13.5 mm
Max. shield diam. pos. 1	6 mm		

PFS2|SKL 23

Part No.	36788.23	Min. shield diam. pos. 2	6 mm
EAN	4251269304521	Max. shield diam. pos. 2	8 mm
PU	10	Length	32.5 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	22.5 mm
Min. shield diam. pos. 1	3 mm	Mounting height	15 mm
Max. shield diam. pos. 1	6 mm		

PFS2|SKL 24

Part No.	36788.24	Min. shield diam. pos. 2	8 mm
EAN	4251269304538	Max. shield diam. pos. 2	11 mm
PU	10	Length	32.5 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	27.5 mm
Min. shield diam. pos. 1	3 mm	Mounting height	20.5 mm
Max. shield diam. pos. 1	6 mm		

PFS2|SKL 30

Part No.	36788.30	Length	32.5 mm
EAN	4251269304545	Width	18 mm
PU	10	Height	22.5 mm
No. of shield clamps	1	Mounting height	15 mm
For max. no. of cables	1		
Min. shield diam. pos. 1	6 mm		
Max. shield diam. pos. 1	8 mm		

PFS2|SKL 31

Part No.	36788.31	Min. shield diam. pos. 2	1.5 mm
EAN	4251269304552	Max. shield diam. pos. 2	3 mm
PU	10	Length	32.5 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	22.5 mm
Min. shield diam. pos. 1	6 mm	Mounting height	15 mm
Max. shield diam. pos. 1	8 mm		

PFS2|SKL 32

Part No.	36788.32	Min. shield diam. pos. 2	3 mm
EAN	4251269304569	Max. shield diam. pos. 2	6 mm
PU	10	Length	32.5 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	22.5 mm
Min. shield diam. pos. 1	6 mm	Mounting height	15 mm
Max. shield diam. pos. 1	8 mm		

PFS2|SKL 33

Part No.	36788.33	Min. shield diam. pos. 2	6 mm
EAN	4251269304576	Max. shield diam. pos. 2	8 mm
PU	10	Length	32.5 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	22.5 mm
Min. shield diam. pos. 1	6 mm	Mounting height	15 mm
Max. shield diam. pos. 1	8 mm		

PFS2|SKL 34

Part No.	36788.34	Min. shield diam. pos. 2	8 mm
EAN	4251269304583	Max. shield diam. pos. 2	11 mm
PU	10	Length	32.5 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	27.5 mm
Min. shield diam. pos. 1	6 mm	Mounting height	20 mm
Max. shield diam. pos. 1	8 mm		

PFS2|SKL 40

Part No.	36788.40	Length	32.5 mm
EAN	4251269304590	Width	18 mm
PU	10	Height	27.5 mm
No. of shield clamps	1	Mounting height	20 mm
For max. no. of cables	1		
Min. shield diam. pos. 1	8 mm		
Max. shield diam. pos. 1	11 mm		

PFS2|SKL 41

Part No.	36788.41	Min. shield diam. pos. 2	1.5 mm
EAN	4251269304606	Max. shield diam. pos. 2	3 mm
PU	10	Length	32.5 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	27.5 mm
Min. shield diam. pos. 1	8 mm	Mounting height	20 mm
Max. shield diam. pos. 1	11 mm		

PFS2|SKL 42

Part No.	36788.42	Min. shield diam. pos. 2	3 mm
EAN	4251269304613	Max. shield diam. pos. 2	6 mm
PU	10	Length	32.5 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	27.5 mm
Min. shield diam. pos. 1	8 mm	Mounting height	20 mm
Max. shield diam. pos. 1	11 mm		

PFS2|SKL 43

Part No.	36788.43	Min. shield diam. pos. 2	6 mm
EAN	4251269304620	Max. shield diam. pos. 2	8 mm
PU	10	Length	32.5 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	27.5 mm
Min. shield diam. pos. 1	8 mm	Mounting height	20 mm
Max. shield diam. pos. 1	11 mm		

PFSZ-M|MSKL 3-12

Part No.	37630	Length	38 mm
EAN	4251269316722	Width	15 mm
PU	10	Height	28.7 mm
No. of shield clamps	1	Mounting height	25 mm
For max. no. of cables	1	attr.Zugentlastung (nach EN 62444)	1
Min. shield diam.	3 mm		
Max. shield diam.	12 mm		

PFSZ-M|MSKL 8-18

Part No.	37632	Length	38 mm
EAN	4251269316739	Width	20 mm
PU	10	Height	34.9 mm
No. of shield clamps	1	Mounting height	31.2 mm
For max. no. of cables	1	attr.Zugentlastung (nach EN 62444)	1
Min. shield diam.	8 mm		
Max. shield diam.	18 mm		

PFSZ|SKL 1.5-3

Part No.	36787.1	Length	33 mm
EAN	4251269304361	Width	12 mm
PU	10	Height	21 mm
No. of shield clamps	1	Mounting height	13.5 mm
For max. no. of cables	1	attr.Zugentlastung (nach EN 62444)	1
Min. shield diam.	1.5 mm		
Max. shield diam.	3 mm		

PFSZ|SKL 3-6

Part No.	36787.2	Length	33 mm
EAN	4251269304378	Width	12 mm
PU	10	Height	22 mm
No. of shield clamps	1	Mounting height	14.5 mm
For max. no. of cables	1	attr.Zugentlastung (nach EN 62444)	1
Min. shield diam.	3 mm		
Max. shield diam.	6 mm		

PFSZ|SKL 6-8

Part No.	36787.3	Length	33 mm
EAN	4251269304385	Width	12 mm
PU	10	Height	23 mm
No. of shield clamps	1	Mounting height	15.5 mm
For max. no. of cables	1	attr.Zugentlastung (nach EN 62444)	1
Min. shield diam.	6 mm		
Max. shield diam.	8 mm		

PFSZ|SKL 8-11

Part No.	36787.4	Length	33 mm
EAN	4251269304392	Width	12 mm
PU	10	Height	28 mm
No. of shield clamps	1	Mounting height	20.5 mm
For max. no. of cables	1	attr.Zugentlastung (nach EN 62444)	1
Min. shield diam.	8 mm		
Max. shield diam.	11 mm		

PFSZ|SKL 11-17

Part No.	36787.5	Length	41 mm
EAN	4251269321313	Width	21 mm
PU	10	Height	35 mm
No. of shield clamps	1	Mounting height	27.5 mm
For max. no. of cables	1	attr.Zugentlastung (nach EN 62444)	1
Min. shield diam.	11 mm		
Max. shield diam.	17 mm		

PFSZ|SKL 17-22



Part No.	36787.6	Length	48 mm
EAN	4251269321320	Width	26.5 mm
PU	10	Height	42.5 mm
No. of shield clamps	1	Mounting height	35 mm
For max. no. of cables	1	attr.Zugentlastung (nach EN 62444)	1
Min. shield diam.	17 mm		
Max. shield diam.	22 mm		

PFSZ2|SKL 01



Part No.	36789.01	Length	37 mm
EAN	4251269304637	Width	18 mm
PU	10	Height	21 mm
No. of shield clamps	1	Mounting height	13.5 mm
For max. no. of cables	1	attr.Zugentlastung (nach EN 62444)	1
Min. shield diam. pos. 2	1.5 mm		
Max. shield diam. pos. 2	3 mm		

PFSZ2|SKL 02



Part No.	36789.02	Length	37 mm
EAN	4251269304644	Width	18 mm
PU	10	Height	21.6 mm
No. of shield clamps	1	Mounting height	14.1 mm
For max. no. of cables	1	attr.Zugentlastung (nach EN 62444)	1
Min. shield diam. pos. 2	3 mm		
Max. shield diam. pos. 2	6 mm		

PFSZ2|SKL 03



Part No.	36789.03	Length	37 mm
EAN	4251269304651	Width	18 mm
PU	10	Height	23 mm
No. of shield clamps	1	Mounting height	15.5 mm
For max. no. of cables	1	attr.Zugentlastung (nach EN 62444)	1
Min. shield diam. pos. 2	6 mm		
Max. shield diam. pos. 2	8 mm		

PFSZ2|SKL 04



Part No.	36789.04	Length	37 mm
EAN	4251269304668	Width	18 mm
PU	10	Height	28 mm
No. of shield clamps	1	Mounting height	21.7 mm
For max. no. of cables	1	attr.Zugentlastung (nach EN 62444)	1
Min. shield diam. pos. 2	8 mm		
Max. shield diam. pos. 2	11 mm		

PFSZ2|SKL 10



Part No.	36789.10	Length	37 mm
EAN	4251269304675	Width	18 mm
PU	10	Height	21 mm
No. of shield clamps	1	Mounting height	13.5 mm
For max. no. of cables	1	attr.Zugentlastung (nach EN 62444)	1
Min. shield diam. pos. 1	1.5 mm		
Max. shield diam. pos. 1	3 mm		

PFSZ2|SKL 11

Part No.	36789.11	Min. shield diam. pos. 2	1.5 mm
EAN	4251269304682	Max. shield diam. pos. 2	3 mm
PU	10	Length	37 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	21 mm
Min. shield diam. pos. 1	1.5 mm	Mounting height	13.5 mm
Max. shield diam. pos. 1	3 mm	attr.Zugentlastung (nach EN 62444)	1

PFSZ2|SKL 12

Part No.	36789.12	Min. shield diam. pos. 2	3 mm
EAN	4251269304699	Max. shield diam. pos. 2	6 mm
PU	10	Length	37 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	21.6 mm
Min. shield diam. pos. 1	1.5 mm	Mounting height	14.1 mm
Max. shield diam. pos. 1	3 mm	attr.Zugentlastung (nach EN 62444)	1

PFSZ2|SKL 13

Part No.	36789.13	Min. shield diam. pos. 2	6 mm
EAN	4251269304705	Max. shield diam. pos. 2	8 mm
PU	10	Length	37 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	23 mm
Min. shield diam. pos. 1	1.5 mm	Mounting height	15.5 mm
Max. shield diam. pos. 1	3 mm	attr.Zugentlastung (nach EN 62444)	1

PFSZ2|SKL 14

Part No.	36789.14	Min. shield diam. pos. 2	8 mm
EAN	4251269304712	Max. shield diam. pos. 2	11 mm
PU	10	Length	37 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	28 mm
Min. shield diam. pos. 1	1.5 mm	Mounting height	20.5 mm
Max. shield diam. pos. 1	3 mm	attr.Zugentlastung (nach EN 62444)	1

PFSZ2|SKL 20

Part No.	36789.20	Length	37 mm
EAN	4251269304729	Width	18 mm
PU	10	Height	21.6 mm
No. of shield clamps	1	Mounting height	14.1 mm
For max. no. of cables	1	attr.Zugentlastung (nach EN 62444)	1
Min. shield diam. pos. 1	3 mm		
Max. shield diam. pos. 1	6 mm		

PFSZ2|SKL 21

Part No.	36789.21	Min. shield diam. pos. 2	1.5 mm
EAN	4251269304736	Max. shield diam. pos. 2	3 mm
PU	10	Length	37 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	21.6 mm
Min. shield diam. pos. 1	3 mm	Mounting height	14.1 mm
Max. shield diam. pos. 1	6 mm	attr.Zugentlastung (nach EN 62444)	1

PFSZ2|SKL 22

Part No.	36789.22	Min. shield diam. pos. 2	3 mm
EAN	4251269304743	Max. shield diam. pos. 2	6 mm
PU	10	Length	37 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	21.6 mm
Min. shield diam. pos. 1	3 mm	Mounting height	14.1 mm
Max. shield diam. pos. 1	6 mm	attr.Zugentlastung (nach EN 62444)	1

PFSZ2|SKL 23

Part No.	36789.23	Min. shield diam. pos. 2	6 mm
EAN	4251269304750	Max. shield diam. pos. 2	8 mm
PU	10	Length	37 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	23 mm
Min. shield diam. pos. 1	3 mm	Mounting height	15.5 mm
Max. shield diam. pos. 1	6 mm	attr.Zugentlastung (nach EN 62444)	1

PFSZ2|SKL 24

Part No.	36789.24	Min. shield diam. pos. 2	8 mm
EAN	4251269304767	Max. shield diam. pos. 2	11 mm
PU	10	Length	37 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	28 mm
Min. shield diam. pos. 1	3 mm	Mounting height	20.5 mm
Max. shield diam. pos. 1	6 mm	attr.Zugentlastung (nach EN 62444)	1

PFSZ2|SKL 30

Part No.	36789.30	Length	37 mm
EAN	4251269304774	Width	18 mm
PU	10	Height	23 mm
No. of shield clamps	1	Mounting height	15.5 mm
For max. no. of cables	1	attr.Zugentlastung (nach EN 62444)	1
Min. shield diam. pos. 1	6 mm		
Max. shield diam. pos. 1	8 mm		

PFSZ2|SKL 31

Part No.	36789.31	Min. shield diam. pos. 2	1.5 mm
EAN	4251269304781	Max. shield diam. pos. 2	3 mm
PU	10	Length	37 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	23 mm
Min. shield diam. pos. 1	6 mm	Mounting height	15.5 mm
Max. shield diam. pos. 1	8 mm	attr.Zugentlastung (nach EN 62444)	1

PFSZ2|SKL 32

Part No.	36789.32	Min. shield diam. pos. 2	3 mm
EAN	4251269304798	Max. shield diam. pos. 2	6 mm
PU	10	Length	37 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	23 mm
Min. shield diam. pos. 1	6 mm	Mounting height	15.5 mm
Max. shield diam. pos. 1	8 mm	attr.Zugentlastung (nach EN 62444)	1

PFSZ2|SKL 33

Part No.	36789.33	Min. shield diam. pos. 2	6 mm
EAN	4251269304804	Max. shield diam. pos. 2	8 mm
PU	10	Length	37 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	23 mm
Min. shield diam. pos. 1	6 mm	Mounting height	15.5 mm
Max. shield diam. pos. 1	8 mm	attr.Zugentlastung (nach EN 62444)	1

PFSZ2|SKL 34

Part No.	36789.34	Min. shield diam. pos. 2	8 mm
EAN	4251269304811	Max. shield diam. pos. 2	11 mm
PU	10	Length	37 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	28 mm
Min. shield diam. pos. 1	6 mm	Mounting height	20.5 mm
Max. shield diam. pos. 1	8 mm	attr.Zugentlastung (nach EN 62444)	1

PFSZ2|SKL 40

Part No.	36789.40	Length	37 mm
EAN	4251269304828	Width	18 mm
PU	10	Height	28 mm
No. of shield clamps	1	Mounting height	20.5 mm
For max. no. of cables	1	attr.Zugentlastung (nach EN 62444)	1
Min. shield diam. pos. 1	8 mm		
Max. shield diam. pos. 1	11 mm		

PFSZ2|SKL 41

Part No.	36789.41	Min. shield diam. pos. 2	1.5 mm
EAN	4251269304835	Max. shield diam. pos. 2	3 mm
PU	10	Length	37 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	28 mm
Min. shield diam. pos. 1	8 mm	Mounting height	20.5 mm
Max. shield diam. pos. 1	11 mm	attr.Zugentlastung (nach EN 62444)	1

PFSZ2|SKL 42

Part No.	36789.42	Min. shield diam. pos. 2	3 mm
EAN	4251269304842	Max. shield diam. pos. 2	6 mm
PU	10	Length	37 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	28 mm
Min. shield diam. pos. 1	8 mm	Mounting height	20.5 mm
Max. shield diam. pos. 1	11 mm	attr.Zugentlastung (nach EN 62444)	1

PFSZ2|SKL 43

Part No.	36789.43	Min. shield diam. pos. 2	6 mm
EAN	4251269304859	Max. shield diam. pos. 2	8 mm
PU	10	Length	37 mm
No. of shield clamps	2	Width	20 mm
For max. no. of cables	2	Height	28 mm
Min. shield diam. pos. 1	8 mm	Mounting height	20.5 mm
Max. shield diam. pos. 1	11 mm	attr.Zugentlastung (nach EN 62444)	1

PFSZ2|SKL 1.5-3

Part No.	36787.151	Length	50.2 mm
EAN	4251269321252	Width	11.8 mm
PU	10	Height	21.4 mm
No. of shield clamps	1	Mounting height	13.9 mm
For max. no. of cables	1	attr.Zugentlastung (nach EN 62444)	1
Min. shield diam.	1.5 mm		
Max. shield diam.	3 mm		

PFSZ2|SKL 3-6

Part No.	36787.152	Length	50.2 mm
EAN	4251269321269	Width	11.8 mm
PU	10	Height	22 mm
No. of shield clamps	1	Mounting height	14.5 mm
For max. no. of cables	1	attr.Zugentlastung (nach EN 62444)	1
Min. shield diam.	3 mm		
Max. shield diam.	6 mm		

PFSZ2|SKL 6-8

Part No.	36787.153	Length	50.2 mm
EAN	4251269321276	Width	11.8 mm
PU	10	Height	23.5 mm
No. of shield clamps	1	Mounting height	16 mm
For max. no. of cables	1	attr.Zugentlastung (nach EN 62444)	1
Min. shield diam.	6 mm		
Max. shield diam.	8 mm		

PFSZ2|SKL 8-11

Part No.	36787.154	Length	50.2 mm
EAN	4251269321283	Width	14 mm
PU	10	Height	28.5 mm
No. of shield clamps	1	Mounting height	21 mm
For max. no. of cables	1	attr.Zugentlastung (nach EN 62444)	1
Min. shield diam.	8 mm		
Max. shield diam.	11 mm		

PFSZ2|SKL 11-17

Part No.	36787.155	Length	80 mm
EAN	4251269321290	Width	21 mm
PU	10	Height	35.5 mm
No. of shield clamps	1	Mounting height	28 mm
For max. no. of cables	1	attr.Zugentlastung (nach EN 62444)	1
Min. shield diam.	11 mm		
Max. shield diam.	17 mm		

PFS2Z|SKL 17-22

Part No.	36787.156	Length	80 mm
EAN	4251269321306	Width	35 mm
PU	10	Height	47.6 mm
No. of shield clamps	1	Mounting height	40.1 mm
For max. no. of cables	1	attr.Zugentlastung (nach EN 62444)	1
Min. shield diam.	17 mm		
Max. shield diam.	22 mm		

PFS2Z-M|MSKL 3-12

Part No.	37630.150	Length	59 mm
EAN	4251269321238	Width	15 mm
PU	10	Height	29.1 mm
No. of shield clamps	1	Mounting height	21.5 mm
For max. no. of cables	1	attr.Zugentlastung (nach EN 62444)	1
Min. shield diam.	3 mm		
Max. shield diam.	12 mm		

PFS2Z-M|MSKL 8-18

Part No.	37632.150	Length	59 mm
EAN	4251269321245	Width	20 mm
PU	10	Height	35.3 mm
No. of shield clamps	1	Mounting height	27.7 mm
For max. no. of cables	1	attr.Zugentlastung (nach EN 62444)	1
Min. shield diam.	8 mm		
Max. shield diam.	18 mm		

SKS 2-5

Part No.	36282	Width	19.5 mm
EAN	4251269302480	Height	45 mm
PU	10		
For max. no. of cables	1		
Min. shield diam.	2 mm		
Max. shield diam.	5 mm		
Length	9 mm		

SKS 3-8

Part No.	36283	Width	19.5 mm
EAN	4251269302497	Height	49 mm
PU	10		
For max. no. of cables	1		
Min. shield diam.	3 mm		
Max. shield diam.	8 mm		
Length	12 mm		

SKS 3-14

Part No.	36284	Width	19.5 mm
EAN	4251269302503	Height	58.5 mm
PU	10		
For max. no. of cables	1		
Min. shield diam.	3 mm		
Max. shield diam.	14 mm		
Length	17 mm		

SKS 3-20

Part No. **36285**
 EAN **4251269302510**
 PU **10**
 For max. no. of cables **1**
 Min. shield diam. **3 mm**
 Max. shield diam. **20 mm**
 Length **24 mm**

Width
 Height

19.5 mm
71 mm

SKS 5-28

Part No. **36286**
 EAN **4251269302527**
 PU **10**
 For max. no. of cables **1**
 Min. shield diam. **5 mm**
 Max. shield diam. **28 mm**
 Length **31.6 mm**

Width
 Height

20 mm
91 mm

SKS 20-35

Part No. **36287**
 EAN **4251269302534**
 PU **10**
 For max. no. of cables **1**
 Min. shield diam. **20 mm**
 Max. shield diam. **35 mm**
 Length **40.6 mm**

Width
 Height

20 mm
105 mm

SS|SK 3-8

Part No. **36235.002**
 EAN **4251269302282**
 PU **10**
 For max. no. of cables **1**
 Min. shield diam. **3 mm**
 Max. shield diam. **8 mm**
 Length **18.5 mm**

Width
 Height

13 mm
26 mm

SS|SK 4-13.5

Part No. **36236.002**
 EAN **4251269302299**
 PU **10**
 For max. no. of cables **1**
 Min. shield diam. **4 mm**
 Max. shield diam. **13.5 mm**
 Length **22 mm**

Width
 Height

20 mm
32 mm

SS|SK 10-20

Part No. **36237**
 EAN **4251269302305**
 PU **10**
 For max. no. of cables **1**
 Min. shield diam. **10 mm**
 Max. shield diam. **20 mm**
 Length **27 mm**

Width
 Height

25 mm
41 mm

SS|SK 15-32



Part No. **36238**
EAN **4251269302312**
PU **10**
For max. no. of cables **1**
Min. shield diam. **15 mm**
Max. shield diam. **32 mm**
Length **33.5 mm**

Width **36 mm**
Height **64 mm**

SS|SKZ 3-8



Part No. **36235**
EAN **4251269319327**
PU **10**
For max. no. of cables **1**
Min. shield diam. **3 mm**
Max. shield diam. **8 mm**
Length **30.5 mm**

Width **12.8 mm**
Height **25.9 mm**
attr.Zugentlastung (nach EN 62444) **1**

SS|SKZ 4-13,5



Part No. **36236**
EAN **4251269319334**
PU **10**
For max. no. of cables **1**
Min. shield diam. **4 mm**
Max. shield diam. **13.5 mm**
Length **36 mm**

Width **22 mm**
Height **31.9 mm**
attr.Zugentlastung (nach EN 62444) **1**
