

# KEL-DPZ multi-membrane cable entry plates

with high cable density / IP66 / UL Type 12



KEL-DPZ cable entry plates are designed to route and seal a large number of cables without connectors, hoses or fibre optics (from 1.5 mm to 22 mm in diameter) in limited space.

The KEL-DPZ products are a cost and time saving alternative to traditional cable glands.

The assembly of the KEL-DPZ with cables or pneumatic hoses can be done quickly and easily. Simply make a small hole in the thin membrane, push the cables through. The KEL-DPZ provides strain relief and protection up to IP66 / UL type 12.

The KEL-DPZ matches exactly the cut-out dimensions of 6-, 16- and 24-pin standard industrial connectors. The size KEL-DPZ-B fits on cut-outs 46 x 46 mm. The very compact size KEL-DPZ-E is designed for routing cables in very small space. Through a cut-out of only 18 x 112 mm, up to 21 cables can be easily routed and sealed.

Especially for Rittal KL / KX terminal boxes the size KEL-DPZ-KL was created. It was designed for routing up to 72 cables through the pre-cut standard cut-out. The self-tapping screws required for assembly are included in the scope of delivery.

ST-B Plugs can be used for sealing pierced membranes if cables have been removed.



## Specifications

<b>IP rating (certified acc. to EN 60529)</b>	IP66, IP65, IP64, IP54
<b>UL Type (certified acc. to UL 50E)</b>	UL Type 12
<b>Material</b>	Elastomer Base frame: Polyamide Base frame: Stainless steel (V2A)
<b>Flame class</b>	UL94-V0, self-extinguishing
<b>Operating temperature</b>	-40 C° to 100 C°
<b>Properties</b>	silicone free, halogen free
<b>Mounting options</b>	Screw type mounting

## Advantages & benefits

- Fast mounting by snapping into the cut-out
- High cable density
- Certified protection IP66 (acc. to EN 60529)
- Automatic sealing and strain relief for the cable
- Hygienic design - free of dirt-collecting recesses
- Space-saving shape

## Product types & sizes

KEL-DPZ 24|14 gy



Part No.	<b>43700</b>	Height	<b>14 mm</b>
EAN	<b>4251269310461</b>	Mounting height	<b>14 mm</b>
PU	<b>10</b>	Cut-out size	<b>112 x 36 mm</b>
For max. no. of cables	<b>14</b>	No. of screw holes	<b>4</b>
Colour	<b>grau (ähnlich RAL 7035)</b>	Diam. of screw holes	<b>5.9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>10 x 3.2 - 6.5 mm</b>
Width	<b>58 mm</b>		<b>4 x 16 - 22 mm</b>

**KEL-DPZ 24|14 bk**

Part No.	<b>50700</b>	Height	<b>14 mm</b>
EAN	<b>4251269315084</b>	Mounting height	<b>14 mm</b>
PU	<b>10</b>	Cut-out size	<b>112 x 36 mm</b>
For max. no. of cables	<b>14</b>	No. of screw holes	<b>4</b>
Colour	<b>schwarz</b>	Diam. of screw holes	<b>5.9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>10 x 3.2 - 6.5 mm</b>
Width	<b>58 mm</b>		<b>4 x 16 - 22 mm</b>

**KEL-DPZ 24|15 gy**

Part No.	<b>43720</b>	Height	<b>14 mm</b>
EAN	<b>4251269310508</b>	Mounting height	<b>14 mm</b>
PU	<b>10</b>	Cut-out size	<b>112 x 36 mm</b>
For max. no. of cables	<b>15</b>	No. of screw holes	<b>4</b>
Colour	<b>grau (ähnlich RAL 7035)</b>	Diam. of screw holes	<b>5.9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>15 x 7.2 - 12 mm</b>
Width	<b>58 mm</b>		

**KEL-DPZ 24|15 bk**

Part No.	<b>50720</b>	Height	<b>14 mm</b>
EAN	<b>4251269315121</b>	Mounting height	<b>14 mm</b>
PU	<b>10</b>	Cut-out size	<b>112 x 36 mm</b>
For max. no. of cables	<b>15</b>	No. of screw holes	<b>4</b>
Colour	<b>schwarz</b>	Diam. of screw holes	<b>5.9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>15 x 7.2 - 12 mm</b>
Width	<b>58 mm</b>		

**KEL-DPZ 24|16 gy**

Part No.	<b>43725</b>	Height	<b>14 mm</b>
EAN	<b>4251269310515</b>	Mounting height	<b>14 mm</b>
PU	<b>10</b>	Cut-out size	<b>112 x 36 mm</b>
For max. no. of cables	<b>16</b>	No. of screw holes	<b>4</b>
Colour	<b>grau (ähnlich RAL 7035)</b>	Diam. of screw holes	<b>5.9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>8 x 3.2 - 6.5 mm</b>
Width	<b>58 mm</b>		<b>4 x 5 - 9.7 mm</b>
			<b>2 x 9 - 16.2 mm</b>
			<b>2 x 16 - 22 mm</b>

**KEL-DPZ 24|16 bk**

Part No.	<b>50725</b>	Height	<b>14 mm</b>
EAN	<b>4251269315138</b>	Mounting height	<b>14 mm</b>
PU	<b>10</b>	Cut-out size	<b>112 x 36 mm</b>
For max. no. of cables	<b>16</b>	No. of screw holes	<b>4</b>
Colour	<b>schwarz</b>	Diam. of screw holes	<b>5.9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>8 x 3.2 - 6.5 mm</b>
Width	<b>58 mm</b>		<b>4 x 5 - 9.7 mm</b>
			<b>2 x 9 - 16.2 mm</b>
			<b>2 x 16 - 22 mm</b>

**KEL-DPZ 24|17 gy**

Part No.	<b>43705</b>	Height	<b>14 mm</b>
EAN	<b>4251269310478</b>	Mounting height	<b>14 mm</b>
PU	<b>10</b>	Cut-out size	<b>112 x 36 mm</b>
For max. no. of cables	<b>17</b>	No. of screw holes	<b>4</b>
Colour	<b>grau (ähnlich RAL 7035)</b>	Diam. of screw holes	<b>5.9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>6 x 3.2 - 6.5 mm</b>
Width	<b>58 mm</b>		<b>6 x 5 - 10.2 mm</b>
			<b>5 x 9 - 16.2 mm</b>

**KEL-DPZ 24|17 bk**

Part No.	<b>50705</b>	Height	<b>14 mm</b>
EAN	<b>4251269315091</b>	Mounting height	<b>14 mm</b>
PU	<b>10</b>	Cut-out size	<b>112 x 36 mm</b>
For max. no. of cables	<b>17</b>	No. of screw holes	<b>4</b>
Colour	<b>schwarz</b>	Diam. of screw holes	<b>5.9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>6 x 3.2 - 6.5 mm</b>
Width	<b>58 mm</b>		<b>6 x 5 - 10.2 mm</b> <b>5 x 9 - 16.2 mm</b>

**KEL-DPZ 24|25 gy**

Part No.	<b>43710</b>	Height	<b>14 mm</b>
EAN	<b>4251269310485</b>	Mounting height	<b>14 mm</b>
PU	<b>10</b>	Cut-out size	<b>112 x 36 mm</b>
For max. no. of cables	<b>25</b>	No. of screw holes	<b>4</b>
Colour	<b>grau (ähnlich RAL 7035)</b>	Diam. of screw holes	<b>5.9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>12 x 3.2 - 6.5 mm</b>
Width	<b>58 mm</b>		<b>7 x 4.8 - 9.7 mm</b> <b>6 x 7.5 - 12 mm</b>

**KEL-DPZ 24|25 bk**

Part No.	<b>50710</b>	Height	<b>14 mm</b>
EAN	<b>4251269315107</b>	Mounting height	<b>14 mm</b>
PU	<b>10</b>	Cut-out size	<b>112 x 36 mm</b>
For max. no. of cables	<b>25</b>	No. of screw holes	<b>4</b>
Colour	<b>schwarz</b>	Diam. of screw holes	<b>5.9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>12 x 3.2 - 6.5 mm</b>
Width	<b>58 mm</b>		<b>7 x 4.8 - 9.7 mm</b> <b>6 x 7.5 - 12 mm</b>

**KEL-DPZ 24|26 gy**


Part No.	<b>43711</b>	Height	<b>14 mm</b>
EAN	<b>4251269321498</b>	Mounting height	<b>14 mm</b>
PU	<b>10</b>	Cut-out size	<b>112 x 36 mm</b>
For max. no. of cables	<b>26</b>	No. of screw holes	<b>4</b>
Colour	<b>grau (ähnlich RAL 7035)</b>	Diam. of screw holes	<b>5.9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>26 x 5 - 10.2 mm</b>
Width	<b>58 mm</b>		


**KEL-DPZ 24|26 bk**


Part No.	<b>50711</b>	Height	<b>14 mm</b>
EAN	<b>4251269321504</b>	Mounting height	<b>14 mm</b>
PU	<b>10</b>	Cut-out size	<b>112 x 36 mm</b>
For max. no. of cables	<b>26</b>	No. of screw holes	<b>4</b>
Colour	<b>schwarz</b>	Diam. of screw holes	<b>5.9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>26 x 5 - 10.2 mm</b>
Width	<b>58 mm</b>		


**KEL-DPZ 24|32 gy**


Part No.	<b>43730</b>	Height	<b>14 mm</b>
EAN	<b>4251269310522</b>	Mounting height	<b>14 mm</b>
PU	<b>10</b>	Cut-out size	<b>112 x 36 mm</b>
For max. no. of cables	<b>32</b>	No. of screw holes	<b>4</b>
Colour	<b>grau (ähnlich RAL 7035)</b>	Diam. of screw holes	<b>5.9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>21 x 3.2 - 6.5 mm</b>
Width	<b>58 mm</b>		<b>8 x 5 - 10.2 mm</b> <b>3 x 7.5 - 12 mm</b>

<b>KEL-DPZ 24 32 bk</b> 	Part No.	<b>50730</b>	Height	<b>14 mm</b>
	EAN	<b>4251269315145</b>	Mounting height	<b>14 mm</b>
	PU	<b>10</b>	Cut-out size	<b>112 x 36 mm</b>
	For max. no. of cables	<b>32</b>	No. of screw holes	<b>4</b>
	Colour	<b>schwarz</b>	Diam. of screw holes	<b>5.9 mm</b>
	Length	<b>147 mm</b>	Clamping range	<b>21 x 3.2 - 6.5 mm</b>
	Width	<b>58 mm</b>		<b>8 x 5 - 10.2 mm</b>
				<b>3 x 7.5 - 12 mm</b>

<b>KEL-DPZ 24 42 gy</b> 	Part No.	<b>43715</b>	Height	<b>14 mm</b>
	EAN	<b>4251269310492</b>	Mounting height	<b>14 mm</b>
	PU	<b>10</b>	Cut-out size	<b>112 x 36 mm</b>
	For max. no. of cables	<b>42</b>	No. of screw holes	<b>4</b>
	Colour	<b>grau (ähnlich RAL 7035)</b>	Diam. of screw holes	<b>5.9 mm</b>
	Length	<b>147 mm</b>	Clamping range	<b>42 x 3.2 - 6.5 mm</b>
	Width	<b>58 mm</b>		

<b>KEL-DPZ 24 42 bk</b> 	Part No.	<b>50715</b>	Height	<b>14 mm</b>
	EAN	<b>4251269315114</b>	Mounting height	<b>14 mm</b>
	PU	<b>10</b>	Cut-out size	<b>112 x 36 mm</b>
	For max. no. of cables	<b>42</b>	No. of screw holes	<b>4</b>
	Colour	<b>schwarz</b>	Diam. of screw holes	<b>5.9 mm</b>
	Length	<b>147 mm</b>	Clamping range	<b>42 x 3.2 - 6.5 mm</b>
	Width	<b>58 mm</b>		

<b>KEL-DPZ 24 121 gy</b> 	Part No.	<b>43735</b>	Height	<b>14 mm</b>
	EAN	<b>4251269310560</b>	Mounting height	<b>14 mm</b>
	PU	<b>10</b>	Cut-out size	<b>112 x 36 mm</b>
	For max. no. of cables	<b>121</b>	No. of screw holes	<b>4</b>
	Colour	<b>grau (ähnlich RAL 7035)</b>	Diam. of screw holes	<b>5.9 mm</b>
	Length	<b>147 mm</b>	Clamping range	<b>119 x 1.5 - 2.6 mm</b>
	Width	<b>58 mm</b>		<b>2 x 2.5 - 5 mm</b>

<b>KEL-DPZ 24 121 bk</b> 	Part No.	<b>50735</b>	Height	<b>14 mm</b>
	EAN	<b>4251269315183</b>	Mounting height	<b>14 mm</b>
	PU	<b>10</b>	Cut-out size	<b>112 x 36 mm</b>
	For max. no. of cables	<b>121</b>	No. of screw holes	<b>4</b>
	Colour	<b>schwarz</b>	Diam. of screw holes	<b>5.9 mm</b>
	Length	<b>147 mm</b>	Clamping range	<b>119 x 1.5 - 2.6 mm</b>
	Width	<b>58 mm</b>		<b>2 x 2.5 - 5 mm</b>

<b>KEL-DPZ 16 11 gy</b> 	Part No.	<b>43815</b>	Height	<b>14 mm</b>
	EAN	<b>4251269320507</b>	Mounting height	<b>14 mm</b>
	PU	<b>10</b>	Cut-out size	<b>86 x 36 mm</b>
	For max. no. of cables	<b>16</b>	No. of screw holes	<b>4</b>
	Colour	<b>grau (ähnlich RAL 7035)</b>	Diam. of screw holes	<b>5.8 mm</b>
	Length	<b>120 mm</b>	Clamping range	<b>11 x 7.5 - 12 mm</b>
	Width	<b>58 mm</b>		

**KEL-DPZ 16|14 gy**

Part No.	<b>43816</b>	Height	<b>14 mm</b>
EAN	<b>4251269320514</b>	Mounting height	<b>14 mm</b>
PU	<b>10</b>	Cut-out size	<b>86 x 36 mm</b>
For max. no. of cables	<b>14</b>	No. of screw holes	<b>4</b>
Colour	<b>grau (ähnlich RAL 7035)</b>	Diam. of screw holes	<b>5.8 mm</b>
Length	<b>120 mm</b>	Clamping range	<b>5 x 3.2 - 6.5 mm</b>
Width	<b>58 mm</b>		<b>5 x 5 - 10.2 mm</b> <b>4 x 9 - 16.2 mm</b>

**KEL-DPZ 16|20 gy**

Part No.	<b>43817</b>	Height	<b>14 mm</b>
EAN	<b>4251269320521</b>	Mounting height	<b>14 mm</b>
PU	<b>10</b>	Cut-out size	<b>86 x 36 mm</b>
For max. no. of cables	<b>20</b>	No. of screw holes	<b>4</b>
Colour	<b>grau (ähnlich RAL 7035)</b>	Diam. of screw holes	<b>5.8 mm</b>
Length	<b>120 mm</b>	Clamping range	<b>11 x 3.2 - 6.5 mm</b>
Width	<b>58 mm</b>		<b>5 x 5 - 10.2 mm</b> <b>4 x 7.5 - 12 mm</b>

**KEL-DPZ 16|25 gy**

Part No.	<b>43818</b>	Height	<b>14 mm</b>
EAN	<b>4251269320538</b>	Mounting height	<b>14 mm</b>
PU	<b>10</b>	Cut-out size	<b>86 x 36 mm</b>
For max. no. of cables	<b>25</b>	No. of screw holes	<b>4</b>
Colour	<b>grau (ähnlich RAL 7035)</b>	Diam. of screw holes	<b>5.8 mm</b>
Length	<b>120 mm</b>	Clamping range	<b>16 x 3.2 - 6.5 mm</b>
Width	<b>58 mm</b>		<b>6 x 5 - 10.2 mm</b> <b>3 x 7.5 - 12 mm</b>

**KEL-DPZ 16|34 gy**

Part No.	<b>43819</b>	Height	<b>14 mm</b>
EAN	<b>4251269320545</b>	Mounting height	<b>14 mm</b>
PU	<b>10</b>	Cut-out size	<b>86 x 36 mm</b>
For max. no. of cables	<b>34</b>	No. of screw holes	<b>4</b>
Colour	<b>grau (ähnlich RAL 7035)</b>	Diam. of screw holes	<b>5.8 mm</b>
Length	<b>120 mm</b>	Clamping range	<b>34 x 3.2 - 6.5 mm</b>
Width	<b>58 mm</b>		

**KEL-DPZ 6|12 gy**

Part No.	<b>43809</b>	Height	<b>7.5 mm</b>
EAN	<b>4251269321061</b>	Mounting height	<b>7.5 mm</b>
PU	<b>10</b>	Cut-out size	<b>52 x 36 mm</b>
For max. no. of cables	<b>12</b>	No. of screw holes	<b>4</b>
Colour	<b>grau (ähnlich RAL 7035)</b>	Diam. of screw holes	<b>4.5</b>
Length	<b>85.5 mm</b>	Clamping range	<b>12 x 4.5 - 8 mm</b>
Width	<b>54 mm</b>		

**KEL-DPZ 6|18 gy**


Part No.	<b>43812</b>	Height	<b>7.5 mm</b>
EAN	<b>4251269321030</b>	Mounting height	<b>7.5 mm</b>
PU	<b>10</b>	Cut-out size	<b>52 x 36 mm</b>
For max. no. of cables	<b>18</b>	No. of screw holes	<b>4</b>
Colour	<b>grau (ähnlich RAL 7035)</b>	Diam. of screw holes	<b>4.5</b>
Length	<b>85.5 mm</b>	Clamping range	<b>7 x 4.5 - 8 mm</b>
Width	<b>54 mm</b>		<b>5 x 3.2 - 6.5 mm</b> <b>6 x 2.5 - 5 mm</b>

**KEL-DPZ 6|18-1 gy**


Part No.	<b>43811</b>	Height	<b>7.5 mm</b>
EAN	<b>4251269321023</b>	Mounting height	<b>7.5 mm</b>
PU	<b>10</b>	Cut-out size	<b>52 x 36 mm</b>
For max. no. of cables	<b>18</b>	No. of screw holes	<b>4</b>
Colour	<b>grau (ähnlich RAL 7035)</b>	Diam. of screw holes	<b>4.5</b>
Length	<b>85.5 mm</b>	Clamping range	<b>18 x 3.2 - 6.5 mm</b>
Width	<b>54 mm</b>		

**KEL-DPZ 6|23 gy**


Part No.	<b>43813</b>	Height	<b>7.5 mm</b>
EAN	<b>4251269321047</b>	Mounting height	<b>7.5 mm</b>
PU	<b>10</b>	Cut-out size	<b>52 x 36 mm</b>
For max. no. of cables	<b>23</b>	No. of screw holes	<b>4</b>
Colour	<b>grau (ähnlich RAL 7035)</b>	Diam. of screw holes	<b>4.5</b>
Length	<b>85.5 mm</b>	Clamping range	<b>10 x 3.2 - 6.5 mm</b>
Width	<b>54 mm</b>		<b>13 x 2.5 - 5 mm</b>

**KEL-DPZ 6|27 gy**


Part No.	<b>43814</b>	Height	<b>7.5 mm</b>
EAN	<b>4251269321054</b>	Mounting height	<b>7.5 mm</b>
PU	<b>10</b>	Cut-out size	<b>52 x 36 mm</b>
For max. no. of cables	<b>27</b>	No. of screw holes	<b>4</b>
Colour	<b>grau (ähnlich RAL 7035)</b>	Diam. of screw holes	<b>4.5</b>
Length	<b>85.5 mm</b>	Clamping range	<b>27 x 2.5 - 5 mm</b>
Width	<b>54 mm</b>		

**KEL-DPZ-B 13 gy**


Part No.	<b>43794</b>	Height	<b>10 mm</b>
EAN	<b>4251269310690</b>	Mounting height	<b>10 mm</b>
PU	<b>10</b>	Cut-out size	<b>46 x 46 mm</b>
For max. no. of cables	<b>13</b>	No. of screw holes	<b>4</b>
Colour	<b>grau (ähnlich RAL 7035)</b>	Diam. of screw holes	<b>5.7 mm</b>
Length	<b>72.8 mm</b>	Clamping range	<b>8 x 3.2 - 6.5 mm</b>
Width	<b>58 mm</b>		<b>4 x 5 - 10.2 mm</b> <b>1 x 16 - 22 mm</b>

**KEL-DPZ-B 13 bk**

Part No.	<b>50794</b>	Height	<b>10 mm</b>
EAN	<b>4251269315312</b>	Mounting height	<b>10 mm</b>
PU	<b>10</b>	Cut-out size	<b>46 x 46 mm</b>
For max. no. of cables	<b>13</b>	No. of screw holes	<b>4</b>
Colour	<b>schwarz</b>	Diam. of screw holes	<b>5.7 mm</b>
Length	<b>72.8 mm</b>	Clamping range	<b>8 x 3.2 - 6.5 mm</b>
Width	<b>58 mm</b>		<b>4 x 5 - 10.2 mm</b> <b>1 x 16 - 22 mm</b>

**KEL-DPZ-B 17 gy**

Part No.	<b>43796</b>	Height	<b>10 mm</b>
EAN	<b>4251269310706</b>	Mounting height	<b>10 mm</b>
PU	<b>10</b>	Cut-out size	<b>46 x 46 mm</b>
For max. no. of cables	<b>17</b>	No. of screw holes	<b>4</b>
Colour	<b>grau (ähnlich RAL 7035)</b>	Diam. of screw holes	<b>5.7 mm</b>
Length	<b>72.8 mm</b>	Clamping range	<b>10 x 3.2 - 6.5 mm</b>
Width	<b>58 mm</b>		<b>4 x 5 - 10.2 mm</b> <b>2 x 7.5 - 12 mm</b> <b>1 x 9 - 16.2 mm</b>

**KEL-DPZ-B 17 bk**

Part No.	<b>50796</b>	Height	<b>10 mm</b>
EAN	<b>4251269315329</b>	Mounting height	<b>10 mm</b>
PU	<b>10</b>	Cut-out size	<b>46 x 46 mm</b>
For max. no. of cables	<b>17</b>	No. of screw holes	<b>4</b>
Colour	<b>schwarz</b>	Diam. of screw holes	<b>5.7 mm</b>
Length	<b>72.8 mm</b>	Clamping range	<b>10 x 3.2 - 6.5 mm</b>
Width	<b>58 mm</b>		<b>4 x 5 - 10.2 mm</b>
			<b>2 x 7.5 - 12 mm</b>
			<b>1 x 9 - 16.2 mm</b>

**KEL-DPZ-B 25 gy**

Part No.	<b>43798</b>	Height	<b>10 mm</b>
EAN	<b>4251269310713</b>	Mounting height	<b>10 mm</b>
PU	<b>10</b>	Cut-out size	<b>46 x 46 mm</b>
For max. no. of cables	<b>25</b>	No. of screw holes	<b>4</b>
Colour	<b>grau (ähnlich RAL 7035)</b>	Diam. of screw holes	<b>5.7 mm</b>
Length	<b>72.8 mm</b>	Clamping range	<b>25 x 3.2 - 6.5 mm</b>
Width	<b>58 mm</b>		

**KEL-DPZ-B 25 bk**

Part No.	<b>50798</b>	Height	<b>10 mm</b>
EAN	<b>4251269315336</b>	Mounting height	<b>10 mm</b>
PU	<b>10</b>	Cut-out size	<b>46 x 46 mm</b>
For max. no. of cables	<b>25</b>	No. of screw holes	<b>4</b>
Colour	<b>schwarz</b>	Diam. of screw holes	<b>5.7 mm</b>
Length	<b>72.8 mm</b>	Clamping range	<b>25 x 3.2 - 6.5 mm</b>
Width	<b>58 mm</b>		

**KEL-DPZ-E 112|7 gy**

Part No.	<b>43780</b>	Height	<b>14 mm</b>
EAN	<b>4251269310676</b>	Mounting height	<b>14 mm</b>
PU	<b>10</b>	No. of screw holes	<b>2</b>
For max. no. of cables	<b>7</b>	Diam. of screw holes	<b>5.7 mm</b>
Colour	<b>grau (ähnlich RAL 7035)</b>	Clamping range	<b>7 x 3.2 - 6.5 mm</b>
Length	<b>147 mm</b>		
Width	<b>29 mm</b>		

**KEL-DPZ-E 112|7 bk**

Part No.	<b>50780</b>	Height	<b>14 mm</b>
EAN	<b>4251269315299</b>	Mounting height	<b>14 mm</b>
PU	<b>10</b>	No. of screw holes	<b>2</b>
For max. no. of cables	<b>7</b>	Diam. of screw holes	<b>5.7 mm</b>
Colour	<b>schwarz</b>	Clamping range	<b>7 x 7.5 - 12 mm</b>
Length	<b>147 mm</b>		
Width	<b>29 mm</b>		

**KEL-DPZ-E 112|21 gy**


Part No.	<b>43790</b>	Height	<b>14 mm</b>
EAN	<b>4251269310683</b>	Mounting height	<b>14 mm</b>
PU	<b>10</b>	No. of screw holes	<b>2</b>
For max. no. of cables	<b>21</b>	Diam. of screw holes	<b>5.7 mm</b>
Colour	<b>grau (ähnlich RAL 7035)</b>	Clamping range	<b>21 x 3.2 - 6.5 mm</b>
Length	<b>147 mm</b>		
Width	<b>29 mm</b>		

**KEL-DPZ-E 112|21 bk**

Part No.	<b>50790</b>	Height	<b>14 mm</b>
EAN	<b>4251269315305</b>	Mounting height	<b>14 mm</b>
PU	<b>10</b>	No. of screw holes	<b>2</b>
For max. no. of cables	<b>21</b>	Diam. of screw holes	<b>5.7 mm</b>
Colour	<b>schwarz</b>	Clamping range	<b>21 x 3.2 - 6.5 mm</b>
Length	<b>147 mm</b>		
Width	<b>29 mm</b>		

**KEL-DPZ-KL 72 gy**

Part No.	<b>43675.001</b>	Height	<b>4 mm</b>
EAN	<b>4251269310447</b>	Mounting height	<b>4 mm</b>
PU	<b>1</b>	Cut-out size	<b>192 x 62 mm</b>
For max. no. of cables	<b>72</b>	No. of screw holes	<b>6</b>
Colour	<b>grau (ähnlich RAL 7035)</b>	Diam. of screw holes	<b>5.1 mm</b>
Length	<b>221 mm</b>	Clamping range	<b>42 x 3.2 - 6.5 mm</b>
Width	<b>90 mm</b>		<b>21 x 5 - 10.2 mm</b>
			<b>6 x 9 - 16.2 mm</b>
			<b>3 x 16 - 22 mm</b>

**KEL-DPZ-KL 72 bk**

Part No.	<b>43675.101</b>	Height	<b>4 mm</b>
EAN	<b>4251269310454</b>	Mounting height	<b>4 mm</b>
PU	<b>1</b>	Cut-out size	<b>192 x 62 mm</b>
For max. no. of cables	<b>72</b>	No. of screw holes	<b>6</b>
Colour	<b>schwarz</b>	Diam. of screw holes	<b>5.1 mm</b>
Length	<b>221 mm</b>	Clamping range	<b>42 x 3.2 - 6.5 mm</b>
Width	<b>90 mm</b>		<b>21 x 5 - 10.2 mm</b>
			<b>6 x 9 - 16.2 mm</b>
			<b>3 x 16 - 22 mm</b>